Journal of Human Nutrition and Dietetics (1993), 6, 547–548

Author Index

Adamson, A.J. see Moynihan, P.J.
Adamson, A.J. see Rugg-Gunn, A.J.
Åkerstedt, T. see Lennernäs, M.A.-C.
Anderson, A.S., Campbell, D. and Shepherd, R. Nutrition knowledge, attitude to healthier eating and dietary intake in pregnant compared to non-pregnant women, 335
Appleton, D.R. see Moynihan, P.J.
Appleton, D.R. see Rugg-Gunn, A.J.

Baker, M. see Smith, Z.
Bale, S. see Lewis, B.K.
Bazzano, R. see Turconi, G.
Beaven, S. see Cooper, C.
Belton, N.R. see Ruxton, C.H.S.
Black, A.E. see Nelson, M.
Bloom, S.R. see Frost, G.
Blundell, J.E. see Burley, V.J.
Booth, J. Food intolerance in a child with urticaria, 377
Brown, P.J., Mei, G., Gibberd, F.B., Burston, D., Mayne, P.D., McClinchy, J.E. and Sidey, M. Diet and Refsum's disease. The determination of phytanic acid and phytol in certain foods and the application of this knowledge to the choice of suitable convenience foods for patients with Refsum's disease, 295
Bruce, Å. see Lennernäs, M.A.-C.
Burley, V.J., Paul, A.W. and Blundell, J.E. Sustained post-ingestive action of dietary fibre: effects of a sugar-beet-fibre-supplemented breakfast on satiety, 253
Burston, D. see Brown, P.J.
Bush, A., Wood, D.F., Parrott, D. and Johnston, D.G. Management of severe obesity by a short period of intensive in-patient dietary restriction and counselling: an evaluation of effectiveness, 125
Butler, T.J. see Moynihan, P.J.
Butler, T.J. see Rugg-Gunn, A.J.

Campbell, D. see Anderson, A.S.
Caramella, R. see Turconi, G.
Catalan, J. see Summerbell, C.D.
Cooper, C. and Beaven, S. Protein and energy content of diets of patients undergoing haemodialysis for treatment of chronic renal failure—a short report, 521
Crawford, M.A. see Leighfield, M.
Crawley, H.F. The role of breakfast cereals in the diets of 16–17-year-old teenagers in Britain, 205
Crovetti, R. see Turconi, G.

Doidge, M.J. Evaluation of a nutrition education programme for people with multiple sclerosis, 131
Doyle, W. see Leighfield, M.

Eliasson, M. see Nydahl, M.
Emmett, P.M., Symes, C.L. and Heaton, K.W. The contribution of breakfast cereals to non-starch polysaccharide intakes in English men and women, 217

Fairweather-Tait, S.J. Optimal nutrient requirements: important concepts, 411
Fehily, A.M. and Hopkinson, T. Do we need information about portion sizes to rank individuals by their nutrient intakes?, 101
Finch, H.E. and Lawson, M.S. Clinical trial of a paediatric enteral feed, 399
Frost, G., Wynick, D., Gilbey, S. and Bloom, S.R. The use of an elemental feed in the nutritional support of an unusual case of diarrhoea, 457

Gatenby, S.J. see Macdiarmid, J.I.
Gazzard, B. see Summerbell, C.D.
Ghebremeskel, K. see Leighfield, M.
Gibberd, F.B. see Brown, P.J.
Gibney, M.J. and Lee, P. Patterns of food and nutrient intake in a suburb of Dublin with chronically high unemployment, 13
Gibson, S.A. Consumption and sources of sugars in the diets of British schoolchildren: are high-sugar diets nutritionally inferior?, 355
Gilbey, S. see Frost, G.
Guam Mei see Brown, J.P.
Gustafsson, I.-B. see Nydahl, M.

Hackett, A.F. see Rugg-Gunn, A.J.
Hagman, U. see Lennernäs, M.A.-C.
Hambraeus, L. see Lennernäs, M.A.-C.
Hankey, C.R., Summerbell, J. and Wynne, H.A. The effect of dietary supplementation in continuing-care elderly people: nutritional, anthropometric and biochemical parameters, 317
Harding, K.G. see Lewis, B.K.
Hartland, B.V. see Magrath, G.
Heaton, K.W. see Emmett, P.M.
Hitchings, H. see Lewis, B.K.
Holmes, M.A.M. see Ruxton, C.H.S.
Hopkinson, T. see Fehily, A.M.

Johnston, D.G. see Bush, A.

Karlström, B. see Nydahl, M.
Kemen, M. see Weenk, G.H.
Kernohan, E. see Smith, Z.
Kirk, S. Nutritional counselling in bulimia nervosa. A case study, 57
Kirk, T.R. see Ruxton, C.H.S.
Knight, T. see Smith, Z.
Kyle, A. Are practice nurses an effective means of delivering dietary advice as part of health

promotion in primary health care? Evaluation of practice nurse training in Somerset, 149

Lanzola, E. see Turconi, G.
Lawson, M.S. see Finch, H.E.
Lee, P. see Gibney, M.J.
Leeds, A.R. Breakfast
Leighfield, M., Ghebremeskel, K., Doyle, W. and Crawford, M.A. Proximate composition of some ready-meal foods—total fat, fatty acids and tocopherols, 113
Lennernäs, M.A.-C., Åkerstedt, T., Hagman, U., Bruce, Å. and Hambraeus, L. A new approach for evaluation of meal quality and meal patterns, 261
Lewis, B.K., Hitchings, H., Bale, S. and Harding, K.G. Nutritional status of elderly patients with venous ulceration of the leg—report of a pilot study, 509

McClinchy, J.E. see Brown, P.J.
Macdiarmid, J.I., Gatenby, S.J. and Mason, P.M. The pharmacist as a nutrition educator? An assessment of nutritional knowledge and undergraduate training of community pharmacists, 39
McLeish, A. see Murphy, M.
Magrath, G., Hartland, B.V. and the Nutrition Subcommittee of the British Diabetic Association's Professional Advisory Committee. Dietary recommendations for children and adolescents with diabetes: an implementation paper, 491
Margetts, B.M. see Nelson, M.
Mason, P.M. see Macdiarmid, J.I.
Mayne, P.D. see Brown, P.J.
Mei, G. see Brown, P.J.
Moynihan, P.J., Adamson, A.J., Skinner, R., Rugg-Gunn, A.J., Appleton, D.R. and Butler, T.J. The intake of nutrients by Northumbrian adolescents from one-parent families and from unemployed families, 433
Murphy, M., Wise, A. and McLeish, A. Persuasiveness of nutritional messages, 49

Nelson, M., Margetts, B.M. and Black, A.E. Check-list for the methods section of dietary investigations, 79
Nutrition Subcommittee of the British Diabetic Association's Professional Advisory Committee see Magrath, G.
Nydahl, M., Gustafsson, I.-B., Eliasson, M. and Karlström, B. A study of attitudes and use of the plate model among various health professionals giving dietary advice to diabetic patients, 163

O'Reagan, M. see Sommerville, J.

Parrott, D. see Bush, A.
Pattison, A.J. Review of current practice in 'clean' diets in the UK, 3
Paul, A.W. see Burley, V.J.
Penman, C. A patient infected with HIV as a result of intravenous drug misuse, 517
Porrini, M. see Turconi, G.
Poulter, J. and Torrance, I. Food and health at work—a review. The costs and benefits of a policy approach, 89

Rugg-Gunn, A.J., Adamson, A.J., Appleton, D.R., Butler, T.J. and Hackett, A.F. Sugars consumption by 379 11–12-year-old English children in 1990 compared with results in 1980, 419.
Rugg-Gunn, A.J. see Moynihan, P.J.
Rushton, C.M. and Wheeler, E. The dietary intake of homeless males sleeping rough in central London, 443
Ruxton, C.H.S., Kirk, T.R., Belton, N.R. and Holmes, M.A.M. Micronutrient intakes in schoolchildren—is supplementation necessary?, 373

Sahota, P. see Smith, Z.
Seaman, C. More computer software for dietary analysis, 171
Shepherd, R. see Anderson, A.S.
Sidey, M. see Brown, P.J.
Skinner, R. see Moynihan, P.J.
Smith, Z., Knight, T., Sahota, P., Kernohan, E. and Baker, M. Dietary patterns of Asian and Caucasian men in Bradford: differences and implications for nutrition education, 323
Sommerville, J. and O'Reagan, M. The contribution of breakfast to micronutrient adequacy of the Irish diet, 223
Summerbell, C.D., Catalan, J. and Gazzard, B. A comparison of the nutritional beliefs of human immunodeficiency virus (HIV) seropositive and seronegative homosexual men, 23
Summerbell, J. see Hankey, C.R.
Symes, C.L. see Emmett, P.M.

Tagliabue, A. see Turconi, G.
Taylor, S.J. Audit of nasogastric feeding practice at two acute hospitals: is early enteral feeding associated with reduced mortality and hospital stay?, 477
Thomas, J. Editorial, 397
Thomas, J., Carpe diem, 291
Torrance, I. see Poulter, J.
Turconi, G., Bazzano, R., Caramella, R., Crovetti, R. and Porrini, M. High-calorie fibre-rich breakfast: its effect on satiety, 245
Turconi, G., Bazzano, R., Caramella, R., Tagliabue, A. and Lanzola, E. The effects of a high-fibre cereal-based breakfast on daily dietary intakes and bowel function, 229

Weenk, G.H., Kemen, M. and Werner, H.-P. Risks of microbiological contamination of enteral feeds during the set up of enteral feeding systems, 307
Werner, H.-P. see Weenk, G.H.
Wheeler, E. see Rushton, C.M.
Wise, A. see Murphy, M.
Wood, D.F. see Bush, A.
Wynick, D. see Frost, G.
Wynne, H.A. see Hankey, C.R.

Journal of Human Nutrition and Dietetics (1993), **6**, 549–550

Key word Index

adolescents, 419, 433, 492
anthropometric measurements, 399, 517
Asian, 323
attitudes, 23, 49, 335

bacterial infection, 3
benefits, 89
BMI, 355
bone-marrow transplant, 3
bowel function, 229
breakfast, 223
breakfast cereals, 205, 229
breakfast meal, 245
bulimia nervosa, 57

Caucasian, 323
Central London, 443
cereals, 223
children, 3, 355, 492
chronic renal failure, 521
clean diets, 3
communication, 49
community pharmacist, 39
companies, 89
contamination, 307
continuing care, 317
cost, 399
costs, 89

diabetes, 163, 492
diet, 23, 492
diet and Refsum's disease, 295
dietary advice, 163
dietary analysis, 131
dietary fibre, 217
dietary intake, 443, 521
dietary intakes, 229
dietary patterns, 323
Dietary Reference Values, 373
dietary sugars, 355, 419
dietary supplementation, 317
dietary survey, 261
dietary surveys, 101, 419
dietetic management, 57
diets, 335
disease severity, 477
double-blind challenges, 377

eating behaviour, 57, 261
education, 49
education and training, 39
elderly, 509
elemental feeding, 457
empty calories, 355
energy intake, 253
enteral feeding systems, 307
enteral feeds, 307
evaluation, 149

fatty acids, 113
FHSA, 149
fibre, 223
fibre intake, 229, 245
fibre supplementation, 253
follow-up, 125
food habits, 261
food intake, 13
food intolerance, 377
food supplements, 131
food/health policies, 89
frail elderly, 317

generalized linear models, 205

haemodialysis, 521
health professionals, 163
health promotion, 49, 149
healthier eating, 335
HIV infection, 23, 517
homeless males, 443
hospital admission, 125
hunger, 245

immunosuppression, 3
intensive treatment, 125
intravenous drug use, 517
iron, 223

knowledge, 23

language, 49
lipid, 113
low-saturated high polyunsaturated fat diet, 131

meal classification, 261
messages, 49
micro-organisms, 307
micronutrients, 223, 373
multiple sclerosis, 131

nasogastric feeding, 477
nutrient density, 355
nutrient intake, 13, 101, 205, 355, 411, 433
nutrient metabolism, 411
nutrient requirements, 411
nutrient status, 411
nutrients, 223
nutrition, 23, 261, 492
nutrition education, 131, 323
nutritional assessment, 317
nutritional comparisons, 399
nutritional knowledge, 39
nutritional status, 509
nutritional support, 457

obesity, 125
one-parent families, 433
outcome measures, 57

paediatric enteral feed, 399
phytanic acid in foods, 295
plate model, 163
portion sizes, 101
practice nurse, 149
practices, 23
pregnancy, 335
primary care, 149

ready meals, 113
red dyes, 377
risks, 307

satiety, 245, 253
schoolchildren, 373
shift work, 261
sleeping rough, 443
smoking, 217
starvation, 477
sugars in food, 419
survey, 3

teenagers, 205
tocopherols, 113
training, 149

unemployed, 433
unemployment payments, 13
urticaria, 377

vasoactive intestinal polypeptide, 457
venous leg ulcers, 509
vitamin C, 217